

Applicants : N. Rosen et al.
U.S. Serial No. : 09/445,054
Filing Date : March 27, 2000
Page : 2

40. (New) A method for achieving a synergistic therapeutic effect in a mammal in need thereof which comprises administering to said mammal amounts of at least two therapeutic agents selected from a group consisting of:

- a) a prenyl-protein transferase inhibitor and
- b) an antineoplastic agent which is a microtubule-stabilizing agent;

wherein the synergistic therapeutic effect is the treatment of cancers of the brain, breast, colon, genitourinary tract, lymphatic system, pancreas, rectum, stomach, larynx, liver, lung, prostate, stet histiocytic lymphoma lung adenocarcinoma, pancreatic carcinoma, colo-rectal carcinoma, small cell lung cancers and neurological tumor cancer whose growth is inhibited by the administration of the prenyl-protein transferase inhibitor and the antineoplastic agent.

41. (New) The method according to Claim 40 wherein an amount of a prenyl-protein transferase inhibitor and an amount of a microtubule-stabilizing agent are administered simultaneously.

42. (New) The method according to Claim 40 wherein an amount of a microtubule-stabilizing agent and an amount of a prenyl-protein transferase inhibitor are administered consecutively.

43. (New) The method according to Claim 40 wherein the antineoplastic agent is selected from: paclitaxel, epothilone A, epothilone B, desoxyepothilone A and desoxyepothilone B.

44. (New) The method according to Claim 40 wherein the prenyl-protein transferase inhibitor is selected from:

2(S)-Butyl-1-(2,3-diaminoprop-1-yl)-1-(1-naphthoyl)piperazine;

1-(3-Amino-2-(2-naphthylmethylamino)prop-1-yl)-2(S)-butyl-4-(1-naphthoyl)piperazine;

Applicants : N. Rosen et al.
U.S. Serial No. : 09/445,054
Filing Date : March 27, 2000
Page : 3

2(S)-Butyl-1-{5-[1-(2-naphthylmethyl)]-4,5-dihydroimidazol}methyl-4-(1-naphthoyl)piperazine;

1-[5-(1-Benzylimidazol)methyl]-2(S)-butyl-4-(1-naphthoyl)piperazine;

1-{5-[1-(4-nitrobenzyl)]imidazolylmethyl}-2(S)-butyl-4-(1-naphthoyl)piperazine;

1-(3-Acetamidomethylthio-2(R)-aminoprop-1-yl)-2(S)-butyl-4-(1-naphthoyl)piperazine;

2(S)-Butyl-1-[2-(1-imidazolyl)ethyl]sulfonyl-4-(1-naphthoyl)piperazine;

2(R)-Butyl-1-imidazolyl-4-methyl-4-(1-naphthoyl)piperazine;

2(S)-Butyl-4-(1-naphthoyl)-1-(3-pyridylmethyl)piperazine;

1-2(S)-butyl-(2(R)-(4-nitrobenzyl)amino-3-hydroxypropyl)-4-(1-naphthoyl)piperazine;

1-(2(R)-Amino-3-hydroxyheptadecyl)-2(S)-butyl-4-(1-naphthoyl)-piperazine;

2(S)-Benzyl-1-imidazolyl-4-methyl-4-(1-naphthoyl)piperazine;

1-(2(R)-Amino-3-(3-benzylthio)propyl)-2(S)-butyl-4-(1-naphthoyl)piperazine;

1-(2(R)-Amino-3-[3-(4-nitrobenzylthio)propyl])-2(S)-butyl-4-(1-naphthoyl)piperazine;

2(S)-Butyl-1-[(4-imidazolyl)ethyl]-4-(1-naphthoyl)piperazine;

2(S)-Butyl-1-[(4-imidazolyl)methyl]-4-(1-naphthoyl)piperazine;

2(S)-Butyl-1-[(1-naphth-2-ylmethyl)-1H-imidazol-5-yl]acetyl]-4-(1-naphthoyl)piperazine;

Applicants : N. Rosen et al.
U.S. Serial No. : 09/445,054
Filing Date : March 27, 2000
Page : 4

2(S)-Butyl-1-[(1-naphth-2-ylmethyl)-1H-imidazol-5-yl]ethyl]-4-(1-naphthoyl)piperazine;

1-(2(R)-Amino-3-hydroxypropyl)-2(S)-butyl-4-(1-naphthoyl)piperazine;

1-(2(R)-Amino-4-hydroxybutyl)-2(S)-butyl-4-(1-naphthoyl)piperazine;

1-(2-Amino-3-(2-benzyloxyphenyl)propyl)-2(S)-butyl-4-(1-naphthoyl)piperazine;

1-(2-Amino-3-(2-hydroxyphenyl)propyl)-2(S)-butyl-4-(1-naphthoyl)piperazine;

1-[3-(4-imidazolyl)propyl]-2(S)-butyl-4-(1-naphthoyl)-piperazine;

2(S)-*n*-Butyl-4-(2,3-dimethylphenyl)-1-(4-imidazolylmethyl)-piperazin-5-one;

2(S)-*n*-Butyl-1-[1-(4-cyanobenzyl)imidazol-5-ylmethyl]-4-(2,3-dimethylphenyl)piperazin-5-one;

1-[1-(4-Cyanobenzyl)imidazol-5-ylmethyl]-4-(2,3-dimethylphenyl)-2(S)-(2-methoxyethyl)piperazin-5-one;

2(S)-*n*-Butyl-4-(1-naphthoyl)-1-[1-(1-naphthylmethyl)imidazol-5-ylmethyl]-piperazine;

2(S)-*n*-Butyl-4-(1-naphthoyl)-1-[1-(2-naphthylmethyl)imidazol-5-ylmethyl]-piperazine;

2(S)-*n*-Butyl-1-[1-(4-cyanobenzyl)imidazol-5-ylmethyl]-4-(1-naphthoyl)piperazine;

2(S)-*n*-Butyl-1-[1-(4-methoxybenzyl)imidazol-5-ylmethyl]-4-(1-naphthoyl)piperazine;

2(S)-*n*-Butyl-1-[1-(3-methyl-2-butenyl)imidazol-5-ylmethyl]-4-(1-naphthoyl)piperazine;

Applicants : N. Rosen et al.
U.S. Serial No. : 09/445,054
Filing Date : March 27, 2000
Page : 5

2(S)-*n*-Butyl-1-[1-(4-fluorobenzyl)imidazol-5-ylmethyl]-4-(1-naphthoyl)piperazine;

2(S)-*n*-Butyl-1-[1-(4-chlorobenzyl)imidazol-5-ylmethyl]-4-(1-naphthoyl)piperazine;

1-[1-(4-Bromobenzyl)imidazol-5-ylmethyl]-2(S)-*n*-butyl-4-(1-naphthoyl)piperazine;

2(S)-*n*-Butyl-4-(1-naphthoyl)-1-[1-(4-trifluoromethylbenzyl)imidazol-5-ylmethyl]-piperazine;

2(S)-*n*-Butyl-1-[1-(4-methylbenzyl)imidazol-5-ylmethyl]-4-(1-naphthoyl)-piperazine;

2(S)-*n*-Butyl-1-[1-(3-methylbenzyl)imidazol-5-ylmethyl]-4-(1-naphthoyl)-piperazine;

1-[1-(4-Phenylbenzyl)imidazol-5-ylmethyl]-2(S)-*n*-butyl-4-(1-naphthoyl)-piperazine;

2(S)-*n*-Butyl-4-(1-naphthoyl)-1-[1-(2-phenylethyl)imidazol-5-ylmethyl]-piperazine;

2(S)-*n*-Butyl-4-(1-naphthoyl)-1-[1-(4-trifluoromethoxy)imidazol-5-ylmethyl]piperazine;

1-{[1-(4-cyanobenzyl)-1H-imidazol-5-yl]acetyl}-2(S)-*n*-butyl-4-(1-naphthoyl)piperazine;

(S)-1-(3-Chlorophenyl)-4-[1-(4-cyanobenzyl)-5-imidazolylmethyl]-5-[2-(methanesulfonyl)ethyl]-2-piperazinone;

(S)-1-(3-Chlorophenyl)-4-[1-(4-cyanobenzyl)-5-imidazolylmethyl]-5-[2-(ethanesulfonyl)ethyl]-2-piperazinone;

Applicants : N. Rosen et al.
U.S. Serial No. : 09/445,054
Filing Date : March 27, 2000
Page : 6

(R)-1-(3-Chlorophenyl)-4-[1-(4-cyanobenzyl)-5-imidazolylmethyl]-5-[2-(ethanesulfonyl)methyl]-2-piperazinone;

(S)-1-(3-Chlorophenyl)-4-[1-(4-cyanobenzyl)-5-imidazolylmethyl]-5-[N-ethyl-2-acetamido]-2-piperazinone;

(±)-5-(2-Butynyl)-1-(3-chlorophenyl)-4-[1-(4-cyanobenzyl)-5-imidazolylmethyl]-2-piperazinone;

1-(3-Chlorophenyl)-4-[1-(4-cyanobenzyl)-5-imidazolylmethyl]-2-piperazinone;

5(S)-Butyl-4-[1-(4-cyanobenzyl-2-methyl)-5-imidazolylmethyl]-1-(2,3-dimethylphenyl)-piperazin-2-one;

4-[1-(2-(4-Cyanophenyl)-2-propyl)-5-imidazolylmethyl]-1-(3-chlorophenyl)-5(S)-(2-methylsulfonyl)ethyl)piperazin-2-one;

5(S)-n-Butyl-4-[1-(4-cyanobenzyl)-5-imidazolylmethyl]-1-(2-methylphenyl)piperazin-2-one;

4-[1-(4-Cyanobenzyl)-5-imidazolylmethyl]-5(S)-(2-fluoroethyl)-1-(3-chlorophenyl)piperazin-2-one;

4-[3-(4-Cyanobenzyl)pyridin-4-yl]-1-(3-chlorophenyl)-5(S)-(2-methylsulfonyl)ethyl)piperazin-2-one;

4-[5-(4-Cyanobenzyl)-1-imidazolylethyl]-1-(3-chlorophenyl)piperazin-2-one;

2(S)-[2(S)-[2(R)-Amino-3-mercapto]propylamino-3(S)-methyl]pentyl-3-phenylpropionyl-homoserine lactone,

2(S)-[2(S)-[2(R)-Amino-3-mercapto]propylamino-3(S)-methyl]pentyl-3-phenylpropionyl-homoserine,

2(S)-[2(S)-[2(R)-Amino-3-mercapto]propylamino-3(S)-methyl]pentyl-3-phenylpropionyl-homoserine lactone,

Applicants : N. Rosen et al.
U.S. Serial No. : 09/445,054
Filing Date : March 27, 2000
Page : 7

2(S)-[2(S)-[2(R)-Amino-3-mercapto]propylamino-3(S)-methyl]pentyloxy-2-methyl-3-phenylpropionyl-homoserine,

2(S)-[2(S)-[2(R)-Amino-3-mercapto]propylamino-3(S)-methyl]pentyloxy-4-pentenoyl-homoserine lactone,

2(S)-[2(S)-[2(R)-Amino-3-mercapto]propylamino-3(S)-methyl]-pentyloxy-4-pentenoyl-homoserine,

2(S)-[2(S)-[2(R)-Amino-3-mercapto]propylamino-3(S)-methyl]pentyloxypentanoyl-homoserine lactone,

2(S)-[2(S)-[2(R)-Amino-3-mercapto]propylamino-3(S)-methyl]pentyloxypentanoyl-homoserine,

2(S)-[2(S)-[2(R)-Amino-3-mercapto]propylamino-3(S)-methyl]5-pentyloxy-4-methylpentanoyl-homoserine lactone,

2(S)-[2(S)-[2(R)-Amino-3-mercapto]propylamino-3(S)-methyl]pentyloxy-4-methylpentanoyl-homoserine,

2(S)-[2(S)-[2(R)-Amino-3-mercapto]propylamino-3(S)-methyl]pentyloxy-3-methylbutanoyl-homoserine lactone,

2(S)-[2(S)-[2(R)-Amino-3-mercapto]propylamino-3(S)-methyl]pentyloxy-3-methylbutanoyl-homoserine,

2(S)-[2(S)-[2(R)-Amino-3-mercapto]propylamino-3(S)-methyl]pentyloxy-3-phenylbutanoyl-homoserine lactone,

2(S)-[2(S)-[2(R)-Amino-3-mercapto]propylamino-3(S)-methyl]-pentyloxy-3-phenylbutanoyl-homoserine,

2(S)-[2(S)-[2(R)-Amino-3-mercapto]propylamino-3(S)-methyl]pentylthio-2-methyl-3-phenylpropionyl-homoserine lactone,

Applicants : N. Rosen et al.
U.S. Serial No. : 09/445,054
Filing Date : March 27, 2000
Page : 8

2(S)-[2(S)-[2(R)-Amino-3-mercapto]propylamino-3(S)-methyl]pentylthio-2-methyl-3-phenylpropionyl-homoserine,

2(S)-[2(S)-[2(R)-Amino-3-mercapto]propylamino-3(S)-methyl]pentylsulfonyl-2-methyl-3-phenylpropionyl-homoserine lactone,

2(S)-[2(S)-[2(R)-Amino-3-mercapto]propylamino-3(S)-methyl]-pentylsulfonyl-2-methyl-3-phenylpropionyl-homoserine,

2(S)-[2(S)-[2(R)-Amino-3-mercapto]propylamino-3(S)-methyl]-pentyloxy-3-phenylpropionyl-methionine methyl ester,

2(S)-[2(S)-[2(R)-Amino-3-mercapto]propylamino-3(S)-methyl]pentyloxy-3-phenylpropionyl-methionine,

2(S)-[2(S)-[2(R)-Amino-3-mercapto]propylamino-3(S)-methyl]pentyloxy-3-phenylpropionyl-methionine sulfone methyl ester,

2(S)-[2(S)-[2(R)-Amino-3-mercapto]propylamino-3(S)-methyl]pentyloxy-3-phenylpropionyl-methionine sulfone (Compound A),

2(S)-[2(S)-[2(R)-Amino-3-mercapto]propylamino-3(S)-methyl]-pentyloxy-3-phenylpropionyl-methionine sulfone isopropyl ester,

2(S)-[2(S)-[2(R)-Amino-3-mercapto]propylamino-3(S)-methyl]-pentyloxy-3-naphth-2-yl-propionyl-methionine sulfone methyl ester,

2(S)-[2(S)-[2(R)-Amino-3-mercapto]propylamino-3(S)-methyl]-pentyloxy-3-naphth-2-yl-propionyl-methionine sulfone,

2(S)-[2(S)-[2(R)-Amino-3-mercapto]propylamino-3(S)-methyl]pentyloxy-3-naphth-1-yl-propionyl-methionine sulfone methyl ester,

2(S)-[2(S)-[2(R)-Amino-3-mercapto]propylamino-3(S)-methyl]pentyloxy-3-naphth-1-yl-propionyl-methionine sulfone,

Applicants : N. Rosen et al.
U.S. Serial No. : 09/445,054
Filing Date : March 27, 2000
Page : 9

2-(S)-[2(S)-[2(R)-Amino-3-mercapto]propylamino-3(S)-methyl]pentylloxy-3-methylbutanoyl-methionine methyl ester.

2-(S)-[2(S)-[2(R)-Amino-3-mercapto]propylamino-3(S)-methyl]pentylloxy-3-methylbutanoyl-methionine,

Disulphide of 2(S)-[2(S)-[2(R)-Amino-3-mercapto]propylamino-3(S)methyl]pentylloxy-3-phenylpropionyl-homoserine lactone,

Disulphide of 2(S)-[2(S)-[2(R)-Amino-3-mercapto]propylamino-3(S)-methyl]pentylloxy-3-phenylpropionyl-homoserine,

Disulphide of 2(S)-[2(S)-[2(R)-Amino-3-mercapto]propylamino-3(S)methyl]pentylloxy-3-methylbutanoyl-methionine methyl ester

1-(4-Biphenylmethyl)-5-(4-cyanobenzyl)imidazole

1-(4-Cyanobenzyl)-5-(4'-phenylbenzamido)ethyl-imidazole

1-(2'-Trifluoromethyl-4-biphenylmethyl)-5-(4-cyanobenzyl)imidazole

1-(4-Biphenylethyl)-5-(4-cyanobenzyl)imidazole

1-(2'-Bromo-4-biphenylmethyl)-5-(4-cyanobenzyl)imidazole

1-(2'-Methyl-4-biphenylmethyl)-5-(4-cyanobenzyl) imidazole

1-(2'-Trifluoromethoxy-4-biphenylmethyl)-5-(4-cyanobenzyl) imidazole

1-(4-(3',5'-dichloro)-biphenylmethyl)-5-(4-cyanobenzyl) imidazole

1-(2'-Methoxy-4-biphenylmethyl)-5-(4-cyanobenzyl) imidazole

1-(2'-Chloro-4-biphenylmethyl)-5-(4-cyanobenzyl) imidazole

1-(2-Chloro-4-biphenylmethyl)-5-(4-cyanobenzyl) imidazole

1-(3-Chloro-4-biphenylmethyl)-5-(4-cyanobenzyl) imidazole

Applicants : N. Rosen et al.
 U.S. Serial No. : 09/445,054
 Filing Date : March 27, 2000
 Page : 10

1-(4-(3',5'-Bis-trifluoromethyl)-biphenylmethyl)-5-(4-cyanobenzyl) imidazole
 1-(2'-Trifluoromethyl-4-biphenylmethyl)-5-(4-cyanobenzyl)-4-methylimidazole
 1-(4-Biphenylmethyl)-5-(4-cyanophenoxy)-imidazole
 5-(4-Cyanophenoxy)-1-(2'-methyl-4-biphenylmethyl)-imidazole
 5-(4-Biphenyloxy)-1-(4-cyanobenzyl)-imidazole
 5-(2'-Methyl-4-biphenoxy)-1-(4-cyanobenzyl)-imidazole
 5-(4-(3',5'-dichloro)biphenylmethyl)-1-(4-cyanobenzyl)imidazole
 1-(4-biphenylmethyl)-5-(1-(R,S)-acetoxy-1-(4-cyanophenyl)methylimidazole
 1-(4-Biphenylmethyl)-5-(1-(R,S)-hydroxy-1-(4-cyanophenyl) methylimidazole
 1-(4-Biphenylmethyl)-5-(1-(R,S)-amino-1-(4-cyanophenyl) methylimidazole
 1-(4-biphenylmethyl)-5-(1-(R,S)-methoxy-1-(4-cyanophenyl)-methylimidazole
 1-(4-Cyanobenzyl)-5-(1-hydroxy-1-(4-biphenyl)-methyl imidazole
 1-(4-Cyanobenzyl)-5-(1-oxo-1-(4-biphenyl)-methyl imidazole
 1-(4-Cyanobenzyl)-5-(1-hydroxy-1-(3-fluoro-4-biphenyl)-methyl)- imidazole
 1-(4-Cyanobenzyl)-5-(1-hydroxy-1-(3-biphenyl)methyl-imidazole
 5-(2-[1,1'-Biphenyl]vinylene)-1-(4-cyanobenzyl)imidazole
 1-[N-(1-(4-cyanobenzyl)-5-imidazolylmethyl)amino]-3-methoxy-4-phenylbenzene
 1-(4-Biphenylmethyl)-5-(4-bromophenoxy)-imidazole

Applicants : N. Rosen et al.
U.S. Serial No. : 09/445,054
Filing Date : March 27, 2000
Page : 11

1-(3'-Methyl-4-biphenylmethyl)-5-(4-cyanobenzyl) imidazole
1-(4'-Methyl-4-biphenylmethyl)-5-(4-cyanobenzyl) imidazole
1-(3'-Trifluoromethyl-4-biphenylmethyl)-5-(4-cyanobenzyl) imidazole
1-(4'-Trifluoromethyl-4-biphenylmethyl)-5-(4-cyanobenzyl) imidazole
1-(3'-Chloro-4-biphenylmethyl)-5-(4-cyanobenzyl) imidazole
1-(4'-Chloro-4-biphenylmethyl)-5-(4-cyanobenzyl) imidazole
1-(2'3'-Dichloro-4-biphenylmethyl)-5-(4-cyanobenzyl) imidazole
1-(2'4'-Dichloro-4-biphenylmethyl)-5-(4-cyanobenzyl) imidazole
1-(2'5'-Dichloro-4-biphenylmethyl)-5-(4-cyanobenzyl) imidazole
1-(3'-Trifluoromethoxy-4-biphenylmethyl)-5-(4-cyanobenzyl) imidazole
1-(2'-Fluoro-4-biphenylmethyl)-5-(4-cyanobenzyl) imidazole
1-(4-(2'-Trifluoromethylphenyl)-2-Chlorophenylmethyl)-5-(4-cyanobenzyl)
imidazole
1-{1-(4-(2'-trifluoromethylphenyl)phenyl)ethyl}-5-(4-cyanobenzyl)
imidazole
1-(2'-Trifluoromethyl-4-biphenylpropyl)-5-(4-cyanobenzyl) imidazole
1-(2'-N-t-Butoxycarbonylamino-4-biphenylmethyl)-5-(4-cyanobenzyl)
imidazole
1-(2'-Aminomethyl-4-biphenylmethyl)-5-(4-cyanobenzyl) imidazole
1-(2'-Acetylaminomethyl-4-biphenylmethyl)-5-(4-cyanobenzyl) imidazole

Applicants : N. Rosen et al.
U.S. Serial No. : 09/445,054
Filing Date : March 27, 2000
Page : 12

1-(2'-Methylsulfonylaminomethyl-4-biphenylmethyl)-5-(4-cyanobenzyl)
imidazole

1-(2'-Ethylaminomethyl-4-biphenylmethyl)-5-(4-cyanobenzyl) imidazole

1-(2'-Phenylaminomethyl-4-biphenylmethyl)-5-(4-cyanobenzyl) imidazole

1-(2'-Glycinylinomethyl-4-biphenylmethyl)-5-(4-cyanobenzyl) imidazole

1-(2'-Methyl-4-biphenylmethyl)-2-chloro-5-(4-cyanobenzyl) imidazole

1-(2'-Methyl-4-biphenylmethyl)- 4-chloro 5-(4-cyanobenzyl) imidazole

1-(3'-Chloro-2-methyl-4-biphenylmethyl)-4-(4-cyanobenzyl)imidazole

1-(3'-Chloro-2-methyl-4-biphenylmethyl)-5-(4-cyanobenzyl)imidazole

1-(3'-Trifluoromethyl-2-methyl-4-biphenylmethyl)-4-(4-cyanobenzyl)
imidazole

1-(3'-Trifluoromethyl-2-methyl-4-biphenylmethyl)-5-(4-
cyanobenzyl)imidazole

1-(3'-Methoxy-2-methyl-4-biphenylmethyl)-5-(4-cyanobenzyl)imidazole

1-(2'-Chloro-4'-fluoro-4-biphenylmethyl)-5-(4-cyanobenzyl)imidazole

1-(2'-Ethyl-4-biphenylmethyl)-5-(4-cyanobenzyl)imidazole

1-(2'-(2-Propyl)-4-biphenylmethyl)-5-(4-cyanobenzyl)imidazole

1-(2'-(2-Methyl-2-propyl)-4-biphenylmethyl)-5-(4-cyanobenzyl)imidazole

1-(2'-Ethyl-4-biphenylmethyl)-5-(4-(1*H*-tetrazol-5-yl))benzyl)imidazole

1-[1-(4-Cyanobenzyl)imidazol-5-ylmethoxy]-4-(2'-methylphenyl)-2-(3-N-
phthalimido-1-propyl)benzene

Applicants : N. Rosen et al.
U.S. Serial No. : 09/445,054
Filing Date : March 27, 2000
Page : 13

1-(3',5'-Ditrifluoromethyl-2-methyl-4-biphenylmethyl)-5-(4-cyanobenzyl)imidazole

1-(3',5'-Chloro-2-methyl-4-biphenylmethyl)-5-(4-cyanobenzyl)imidazole

1-(3',5'-Dimethyl-2-methyl-4-biphenylmethyl)-5-(4-cyanobenzyl)imidazole

1-(3-(N-Boc-aminomethyl)-4-biphenylmethyl)-5-(4-cyanobenzyl)-imidazole

1-(3-Aminomethyl-4-biphenylmethyl)-5-(4-cyanobenzyl)imidazole

1-(4-Cyanobenzyl)-2-methyl-5-(2'-methylbiphenyl-4-yloxy)imidazole
5-(4-Cyanobenzyl)-1-(3-cyano-2'-trifluoromethylbiphenyl-4-ylmethyl)-
imidazole

2-Amino-5-(biphenyl-4-ylmethyl)-1-(4-cyanobenzyl)imidazole

2-Amino-1-(biphenyl-4-ylmethyl)-5-(4-cyanobenzyl)imidazole

1-(3-Butylbiphenyl-4-ylmethyl)-5-(4-cyanobenzyl)-imidazole

1-(3-Propylbiphenyl-4-ylmethyl)-5-(4-cyanobenzyl)-imidazole

1-(4-Biphenylmethyl)-4-(4-cyanobenzyl-2-methylimidazole

1-(4-Cyanobenzyl)-5-[(3-fluoro-4-biphenyl)methyl]imidazole

1-(4-Cyanobenzyl)-5-[1-(4-biphenyl)-1-hydroxy]ethyl-2-methylimidazole

1-(4-Cyanobenzyl)-5-(4-biphenylmethyl)-2-methylimidazole

1-(4-Cyanobenzyl)-5-[1-(4-biphenyl)]ethyl-2-methyl imidazole

1-(4-Cyanobenzyl)-5-[1-(4-biphenyl)]vinylidene-2-methylimidazole and

1-(4-Cyanobenzyl)-5-[2-(4-biphenyl)]vinylene-2-methylimidazole

Applicants : N. Rosen et al.
 U.S. Serial No. : 09/445,054
 Filing Date : March 27, 2000
 Page : 14

1-(4-[Pyrid-2-yl]phenylmethyl)-5-(4-cyanobenzyl)imidazole

1-(4-[3-Methylpyrazin-2-yl]phenylmethyl)-5-(4-cyanobenzyl)imidazole

1-(4-(Pyrimidinyl-5-yl)phenylmethyl)-5-(4-cyanobenzyl)imidazole

1-(2-Phenylpyrid-5-ylmethyl)-5-(4-cyanobenzyl)imidazole

1-(2-Phenyl-N-Oxopyrid-5-ylmethyl)-5-(4-cyanobenzyl)imidazole

1-(3-Phenylpyrid-6-ylmethyl)-5-(4-cyanobenzyl)imidazole

1-(3-Phenyl-N-Oxopyrid-6-ylmethyl)-5-(4-cyanobenzyl)imidazole

1-(2-(3-Trifluoromethoxyphenyl)-pyrid-5-ylmethyl)-5-(4-cyanobenzyl)imidazole

1-(2-(2-Trifluoromethylphenyl)-pyrid-5-ylmethyl)-5-(4-cyanobenzyl)imidazole

1-(3-Phenyl-2-Chloropyrid-6-ylmethyl)-5-(4-cyanobenzyl)imidazole

1-(3-Phenyl-4-chloropyrid-6-ylmethyl)-5-(4-cyanobenzyl)imidazole

1-(2-Amino-3-phenylpyrid-6-ylmethyl)-5-(4-cyanobenzyl)imidazole

1-(2-[Pyrid-2-yl]pyrid-5-ylmethyl)-5-(4-cyanobenzyl)imidazole

N-{1-(4-Cyanobenzyl)-1H-imidazol-5-yl)methyl}-5-(pyrid-2-yl)-2-amino-pyrimidine

N,N-bis(4-Imidazolomethyl)amino-3-[(3-carboxyphenyl)oxy]benzene

N,N-bis(4-Imidazolomethyl)amino-4-[(3-carboxyphenyl)oxy]benzene

N,N-bis(4-Imidazolomethyl)amino-3-[(3-carbomethoxyphenyl)-oxy]benzene

N,N-bis(4-Imidazolomethyl)amino-4-[(3-carbomethoxyphenyl)-oxy]benzene

JUL-26-2002 11:35 FROM: LAM OFFICE: F.A. CHAN 1183318613 10:10:33 300 4336 F.0117024

Applicants : N. Rosen et al.
U.S. Serial No. : 09/445,054
Filing Date : March 27, 2000
Page : 15

N-(4-Imidazolemethyl)-*N*-(4-nitrobenzyl)aminomethyl-3-[(3-carboxyphenyl)oxy]benzene

N-(4-Imidazolemethyl)-*N*-(4-nitrobenzyl)aminomethyl-3-[(3-carbomethoxyphenyl)oxy]benzene

N-(4-Imidazolemethyl)-*N*-(4-nitrobenzyl)amino-3-(phenoxy)benzene

N-(4-Imidazolemethyl)-*N*-(4-nitrobenzyl)amino-4-(phenoxy)benzene

N-(4-Imidazolemethyl)-*N*-(4-nitrobenzyl)amino-4-(phenylthio)benzene

N-Butyl-*N*-[1-(4-cyanobenzyl)-5-imidazolemethyl]amino-4-(phenoxy)benzene

N-[1-(4-Cyanobenzyl)-5-imidazolemethyl]amino-4-(phenoxy)benzene

N-(4-Imidazolemethyl)amino-3-[(3-carboxyphenyl)oxy]benzene

1-[*N*-(1-(4-cyanobenzyl)-5-imidazolylmethyl)-*N*-(4-cyanobenzyl)amino]-4-(phenoxy)benzene

(±)-4-[(4-imidazolylmethyl)amino]pentyl-1-(phenoxy)benzene

1-[(*N*-(1-(4-cyanobenzyl)-5-imidazolylmethyl)-*N*-(*n*-butyl)amino)methyl]-4-(phenoxy)benzene

4-[*N*-(1-(4-cyanobenzyl)-5-imidazolylmethyl)-*N*-(*n*-butyl)amino]-1-(phenylthio)benzene

(±)-4-[*N*-(1-(4-cyanobenzyl)-4-imidazolylmethyl)-*N*-(*n*-butyl)amino]-1-(phenylsulfinyl)benzene

3-[*N*-(4-imidazolylmethyl)-*N*-(*n*-butyl)amino]-*N*-(phenyl)benzenesulfonamide
and

1-[*N*-(1-(4-cyanobenzyl)-5-imidazolylmethyl)amino]-3-methoxy-4-phenylbenzene

Applicants : N. Rosen et al.
U.S. Serial No. : 09/445,054
Filing Date : March 27, 2000
Page : 16

4-{3-[4-(-2-Oxo-2-H-pyridin-1-yl)benzyl]-3-H-imidazol-4-ylmethyl]benzonitrile

4-{3-[4-3-Methyl-2-oxo-2-H-pyridin-1-yl)benzyl]-3-H-imidazol-4-ylmethyl]benzonitrile

4-{3-[4-(-2-Oxo-piperidin-1-yl)benzyl]-3-H-imidazol-4-ylmethyl]benzonitrile

4-{3-[3-Methyl-4-(2-oxopiperidin-1-yl)-benzyl]-3-H-imidazol-4-ylmethyl}-benzonitrile

(4-{3-[4-(2-Oxo-pyrrolidin-1-yl)-benzyl]-3H-imidazol-4-ylmethyl}-benzonitrile

4-{3-[4-(3-Methyl-2-oxo-2-H-pyrazin-1-yl)-benzyl]-3-H-imidazol-4-ylmethyl}-benzonitrile

4-{3-[2-Methoxy-4-(2-oxo-2-H-pyridin-1-yl)-benzyl]-3-H-imidazol-4-ylmethyl}-benzonitrile

4-{1-[4-(5-Chloro-2-oxo-2H-pyridin-1-yl)-benzyl]-1H-pyrrol-2-ylmethyl}-benzonitrile

4-[1-(2-Oxo-2H-[1,2']bipyridinyl-5'-ylmethyl)-1H-pyrrol-2-ylmethyl]-benzonitrile

4-[1-(5-Chloro-2-oxo-2H-[1,2']bipyridinyl-5'-ylmethyl)-1H-pyrrol-2-ylmethyl]-benzonitrile

4-[3-(2-Oxo-1-phenyl-1,2-dihydropyridin-4-ylmethyl)-3H-imidazol-4-ylmethyl]benzonitrile

4-{3-[1-(3-Chloro-phenyl)-2-oxo-1,2-dihydropyridin-4-ylmethyl]-3H-imidazol-4-ylmethyl}benzonitrile


or a pharmaceutically acceptable salt, disulfide or optical isomer thereof.

JUL 26 2002 11:34 FROM: LHM OFFICES-H. CHAN 1163316613 10:183 308 4338 P.015/024

Applicants : N. Rosen et al.
U.S. Serial No. : 09/445,054
Filing Date : March 27, 2000
Page : 17

45. (New) The method according to Claim 40 wherein the prenyl-protein transferase inhibitor is selected from:

2(S)-[2(S)-[2(R)-Amino-3-mercapto]-propylamino-3(S)-methyl]-pentyloxy-3-phenylpropionyl-methionine sulfone isopropyl ester (Compound A)



1-(3-Chlorophenyl)-4-[1-(4-cyanobenzyl)-5-imidazolylmethyl]-2-piperazinone;

(R)-1-(3-Chlorophenyl)-4-[1-(4-cyanobenzyl)-5-imidazolylmethyl]-5-[2-(ethanesulfonyl)methyl]-2-piperazinone;

4-[1-(5-Chloro-2-oxo-2H-[1,2']bipyridinyl)-5'-ylmethyl]-1H-pyrrol-2-ylmethyl]-benzonitrile and

1-[N-(1-(4-cyanobenzyl)-5-imidazolylmethyl)-N-(4-cyanobenzyl)amino]-4-(phenoxy)benzene


or a pharmaceutically acceptable salt, disulfide or optical isomer thereof.

46. (New) The method according to Claim 40 wherein the antineoplastic agent is paclitaxel and the prenyl-protein transferase inhibitor is

2(S)-[2(S)-[2(R)-Amino-3-mercapto]-propylamino-3(S)-methyl]-pentyloxy-3-phenylpropionyl-methionine sulfone isopropyl ester (Compound A)

JUL-26-2002 11:34 FROM: LAW OFFICES H. CHAN 1163318813 10:12:33 308 4336 F.0007024

Applicants : N. Rosen et al.
U.S. Serial No. : 09/445,054
Filing Date : March 27, 2000
Page : 18



47.(New) A pharmaceutical composition comprising an amount of a prenyl-protein transferase inhibitor and an amount of an antineoplastic agent which is a microtubule-stabilizing agent, the composition which is effective for treating cancer in a mammal in need thereof.

48. (New) A method of preparing a pharmaceutical composition which comprises mixing an amount of a prenyl-protein transferase inhibitor and an amount of an antineoplastic agent which is a microtubule-stabilizing agent.